

# An Ontological Analysis of Robot Path Planning Problems

Yunpiao Bai<sup>1,\*</sup>, Jona Thai<sup>1</sup> and Michael Grüninger<sup>1</sup>

<sup>1</sup>University of Toronto, Canada

## Abstract

In this paper, we provide an ontological analysis of the implicit assumptions within the specification of robot path planning problems. We propose a set of ontologies for representing spatiotemporal entities and relations that formalize the fundamental ontological commitments of path planning.

## Keywords

path planning, ontology, space, time, spatiotemporal, event

## 1. Introduction

One of the ultimate goals of autonomous robots is that robots can perform tasks without being instructed on how to do them. In other words, robots must be able to plan their own paths, which means constructing a collision-free path from a start to a goal position in the specified physical space. Such a problem is often considered to be low-level motion planning that computes the actual movements the robot should carry out [1]. Therefore, the robots must be given a complete description of the spatial environment including the location of spatial entities and their relations in the domain. Representing such domain knowledge is crucial for a robot to perform tasks efficiently and effectively. Ontology-based knowledge Representation and Reasoning (KR) provides a structured framework to represent and reason about the environment, enabling autonomous robots to perceive their surroundings in a more comprehensive manner. By incorporating ontological models into computational motion planning algorithms, robots can leverage the rich semantics associated with the objects, their properties, and relationships to make more informed decisions and generate context-aware paths.

Based on the definition by Bloisi [2] the context knowledge of robots includes not only static knowledge, such as common sense, but also dynamic knowledge that has high time dependency due to continuous changes in real-time. Traditionally, algorithms of path planning problems are situated within a static environment in which only spatial information is needed (e.g., known obstacles and free spaces). Meanwhile, previous approaches used to define robotics relation ontologies often distinguish spatial and temporal KR in the planning process, where planning with time constraints and planning with geometric constraints are separate phases[1]. However, temporal constraints often need to be considered with the dynamics of the real-world environment

---

*RobOntics 2023: Workshop on Ontologies in Autonomous Robotics, August 28, 2023, Seoul, South Korea*

\*Corresponding author.

✉ wbai@mie.utoronto.ca (Y. Bai); jona.thai@mail.utoronto.ca (J. Thai); gruninger@mie.utoronto.ca (M. Grüninger)



© 2023 Copyright for this paper by its authors. Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).



CEUR Workshop Proceedings (CEUR-WS.org)

such as collision and interaction with other moving objects. For example, thinking about a simple path planning problem:

Given a room with a set of moving objects, find a path the robot can take from one location to another, avoiding contact with any objects.

In this case, both spatial and temporal constraints must be considered as obviously no two solid objects can be located at the same location at the same time otherwise a collision will occur. In this study, we focus on the representation of the contextual knowledge environment, and in particular, on the location and temporal information of moving robots and objects in a specified environment. The major research question we explore in this study is: what is the minimum ontology we need to represent the spatial and temporal knowledge in the path planning problem? The rest of this paper is organized as follows: we first begin with an informal planning problem for robotics, and then we discuss some ontological analysis and commitments of path planning representations. Next, we introduce the ontologies we use for knowledge formalization and then present the formalization of path planning notions using these ontologies.

## 2. Motivating Scenario

In this section, we present a scenario that can be used to determine the requirements of the ontology.

Autonomous robot waiters are used in the restaurant to deliver dishes from the kitchen to the severing tables. Robot waiter X is scheduled to pick up dishes in the kitchen, and then dock at table A, table B, and table D to serve the customers, and then return to the kitchen. When the robot is leaving Table B for Table D, another Robot Y is moving from Table D to C which blocks the path from Table B to Table D, so there is a potential collision if Robot X continues the scheduled plan.

In order to represent this scenario, the fundamental notions that we need are the location of the table and the path of the moving robots. In this context, the tables are considered to be static obstacles that are located in fixed spatial regions during the entire time. Meanwhile, the location of a moving robot changes as time changes, and such change can be treated as a motion activity, though it is not explicitly expressed in natural language. The location change also causes a change in the spatial relations between robots and tables (e.g. the potential collision). Thus, we need an ontology for integrated knowledge about space and time rather than space alone, and to represent the change in time of spatial relations and the continuity of spatial location change. This leads to four main competency questions for the ontology development:

- What is the relation between a static physical object and its located region (obstacle region)?
- What is a moving path?
- What is the relation between a moving object (motion activity/event) and its moving path?
- What relations or constraints are held between two moving paths? e.g collisions

The aforementioned scenario and competency questions are used throughout the paper to evaluate the existing work and address the need for the ontology for path planning.

## **3. Related Work**

### **3.1. Ontology for Space and Time**

Spatial and temporal KR are two fundamental knowledge representations and reasoning techniques. Spatial KR provides generic knowledge about entities and their spatial relations in the environment. Temporal KR is used to represent time information which includes the ordering and sequencing information for tasks, resources, etc. Studies over the past decades have established a solid foundation of formal ontologies of both space and time. Region Connection Calculus (RCC), particularly RCC-8, is the most popular theory of spatial reasoning embodying both mereological and topological aspects [3]. It describes eight primitive relations between spatial regions, and composition of these basic relations can be computed for relation inference. The logical representation of temporal concepts is often based on time point and interval logics. Generally, interval-based models are ontologically richer than instant-based models. In addition to precedence relationship, there are many other possible relationships between time intervals such as inclusion, overlapping and so on. Allen's algebra [4] defines thirteen binary relations between time intervals, and any pair of time intervals must satisfy one of the thirteen relations.

### **3.2. Objects and Event in Space and Time**

Material objects and events are two foundational topics in philosophy and ontologies. Arguments on the differences between objects and events are commonplace in literature. Material objects, such as stones, are said to exist, yet events are neither substances nor do they exist, and instead, the "being" of events is to take place or occur [5]. Meanwhile, Events have temporal relations to others (e.g., a person eats before drinking water), but objects usually do not stand in temporal relation to other physical objects[6]. Many foundation ontologies, such as BFO, DOLCE, UFO, etc., make a distinction between objects and events. These upper ontologies accept that objects are endurants that occupy spatial regions while events and processes are perdurants that occupy spacetime. Overall, many researchers have acknowledged that objects are occupants of three-dimensional space, and such occupancy is unique and exclusive, which has led to attempts to axiomatize an occupying relation between objects and spatial regions. Casati and Varzi [7] proposed a location ontology adopting the system of General Extensional Mereotopology with Closure Conditions (GEMTC). Suggested Upper Merged Ontology (SUMO) captured three locative primitives for the location of physical objects: located, exactlyLocated, and partlyLocated [8]. Aameri and Gruninger [9] developed an occupy ontology based on mereological pluralism, in which there are different mereotopologies for objects and space.

### **3.3. Ontologies for Robot Path Planning**

Typically, robotic path planning is split into two components - task and motion planning. Task planning occurs at a higher abstraction level, with additional information provided beyond geometric data. Motion planning occurs at the geometric level - environments are broken down into arbitrary cells as the environment model, and the optimal path is derived through classical algorithms such as rapidly-exploring random trees (RRT). Recent work has sought to combine these two components in a bid to exert more semantic control over the geometric path planning

process. The goal is to use ontologies as semantic control that prunes the search space for the path planning process, hence allowing continuous interaction to be viable even in highly complex dynamic environments (rich in state-changing obstacles), without utilizing large amounts of computational power [10] [11] [12]. Another preliminary example of such work is that by Fillatreau et.al, utilizing ontologies to aid in a simulated manipulation task [13].

Ontologies for robots focus on the design of formalisms for expressing knowledge about a defined environment. In the survey on ontology-based KR for robot path planning, Gayathri and Uma [1] recognized three main steps for robot planning using ontologies, which are task planning based on action and events KR, temporal planning based on temporal logics, and motion planning based on environment knowledge. Bernardo et al.[14] proposed a novel framework that aims to improve the motion planning of a robotic agent through semantic knowledge-based reasoning based on The Semantic Web Rule Language (SWRL). The framework integrated a set of ontologies including situation, informationEntity, object, event and abstract(regions), following DOLCE. Kim and Lee [15] developed a context query language ST-RCQL for indoor environments based on Allen's algebra and 3D spatial relations among objects. However, most existing approaches still distinguish spatial and temporal knowledge representations at different planning stages, whereas an integrated spatiotemporal KR is needed to address the planning problem.

## **4. Ontological Commitments**

The ontological commitments are driven by the semantic requirements and competency questions extracted from the motivating scenario. The fundamental notions we need are the formal representations of obstacle regions and moving paths as well as how they interact with robots and other physical objects in a specified environment.

### **4.1. The Occupy Relation**

Substantivalists believe that entities are located at regions of space or spacetime, as opposed to the supersubstantival view in which located entities are identical to their locations [5]. Following substantivalism, this study distinguishes objects and the spatial regions occupied, and 'occupy' is the relation between them. The motivation is that the basic properties of a spatial region are quite different from a physical object and it is less acceptable to say a region is a physical body from a linguistic view [16]. Therefore, we make the following ontological commitments:

1. A physical object is disjointed from its located spatial region, and 'occupy' is the relation between the two entities.

Meanwhile, we can also make the following definition of obstacle regions:

2. An obstacle region is a spatial region that is occupied by static objects or their parts in a specified environment.

### **4.2. Space-time Hybrid**

A moving path of a robot notes the change of the location of the robot as time changes. Thus, in order to take temporal knowledge into account, we treat the moving path as spatiotemporal

regions where space and time are combined as one primitive domain instead of two separate ones. As discussed in the previous section, entities are distinct from their located regions; therefore, a moving object (motion activity) should also be distinct from the spatiotemporal region it occupies, and events and space-time maintain their own mereotopologies. We also believe that there is a spatiotemporal analogy between the moving path of a robot's motion and the spatial occupying relation between a static object and the obstacle region. Thus, we make the following commitments on the robot's motion and its moving path:

3. A moving robot (motion) is disjoint from its moving path.
4. A moving path is a spatiotemporal region that is occupied by a robot's motion activity.

### 4.3. Constraints

The execution plan of a robot is highly dependent on task constraints, including time constraints, location constraints, etc. For example, the planned moving path of a robot cannot overlap with the obstacle region, nor can it intersect with another moving object's path. In other words, we want to explore what relations or constraints need to be held between moving paths and obstacle regions. Here we present some basic constraints:

5. A moving path cannot spatially overlap with obstacle regions.
6. A moving path cannot spatiotemporally overlap with another path.
7. All parts of a robot's moving path are ordered in time, and these parts must be connected spatiotemporally.

It is obvious that no two objects can occupy the same spatial region at the same time; otherwise, a collision will occur. Since we define the moving path as a spatiotemporal region, for any spatiotemporal region that is occupied by a motion, its corresponding spatial region should not overlap with obstacle regions (e.g. a moving robot and a table). Meanwhile, at any time  $t$ , the corresponding spatial regions of two moving paths should not overlap with each other. It is very common that a robot's task consists of multiple sub-tasks, and the robot may stop moving at some point and resume multiple times; therefore, a robot's moving path (a spatiotemporal region) can also be decomposed into multiple parts which are also spatiotemporal regions. It is obvious that these parts must connect to each other, and there exists a sum of these segmented spatiotemporal regions, which is the whole moving path of the robot. For example, a server robot moves from table A to B, docks at B, and continues moving from table B to D is a complex activity that occupies a complex spatiotemporal region  $ST$ . This activity can be decomposed into three subactivities which are moving from table A to B, docking at B, and moving from table B to D. Each subactivity also occupies a spatiotemporal region that is part of the complex spatiotemporal region  $ST$ . The corresponding parts (sub-spatiotemporal regions) must connect to each other, and their mereological sum is  $ST$ .

## 5. Formalization

Based on our commitments, we combine a spatiotemporal ontology and a location ontology together to represent the basic notions of the path planning problem.

## 5.1. The Spatiotemporal Ontology

In our previous research, we developed a new spatiotemporal ontology based on the mereotopology of RCC8 and Allen's time algebra [17]. The ontology recognizes that spatiotemporal regions are disjoint from spatial regions and time intervals, and each class of entities has its own mereotopology (pluralism). This spatiotemporal ontology provides the weakest mereotopology for spatiotemporal regions based on the product of the mereotopologies of RCC and Allen's time algebra. In the mereotopology of spatiotemporal regions, we allow spatial regions, time intervals, and spatiotemporal regions as three mutually disjoint entities. The ontology axiomatizes the relationships between the distinct mereotopologies specified on these entities, namely, that the mereotopology of spatiotemporal regions is the product of the mereotopologies of spatial regions and time intervals. We can use these axioms to reason about the spatiotemporal mereotopology, or we can identify the mereotopology of spatiotemporal regions that is faithfully interpreted by the combined axioms.

## 5.2. The Event Location Ontology

One fundamental issue to address for robot path planning KR is what is the relation between moving objects and their moving paths, and how such relation interacts with obstacle regions in a physical environment. As we discussed earlier in Section 2, objects' movements can be treated as events or activities; thus, the relation between moving objects and moving paths can be viewed as the locations of motion activities. Our previous study on the location ontology for events integrated an activity ontology - Process Specification Language (PSL)[18] and our spatiotemporal ontology, providing axiomatizations of the occupy relation between occurrences of activities and spatiotemporal regions [19]. PSL axiomatizes the relations between activities and activity occurrences (event). An activity may have multiple occurrences, or there may exist activities that do not occur at all. Moreover, activity occurrences and spatial regions have their own mereologies respectively, and the mereological relations between activity occurrences are preserved in the mereological relations between the spatiotemporal regions that they occupy.

## 5.3. Formalization in First-order Logic (FOL)

Here we present the formalization of our ontological commitments discussed in Section 4 using the spatiotemporal and event location ontologies. The major signatures and the relations we used are listed in Table 1.

First, we define motion activity in the context of robot path planning. When an object changes its location(the spatial region that the object occupies), there is an occurrence of motion activity. In order to represent change in location, we use the methodology of [20] to map axioms for the *occupies* relation to domain state axioms for the fluent *loc*.

$$\begin{aligned} \forall(a)motion(a) \equiv & \forall(o,x)occurrence\_of(o,a) \wedge participates\_in(x,o) \\ & \wedge prior(loc(x,r1),o) \supset holds(loc(x,r2),o) \wedge (r1 \neq r2) \end{aligned} \quad (1)$$

Next, we formalize the commitments we made in Section 4. Equation (2)&(3) are the formalization of Commitments 1&2 respectively. Commitment 3&4 are corresponding to Equation 4.

Commitment 5-7 are formalized by Equation 5-7.

$$\forall(x,y)occupies(x,y) \supset physical\_body(x) \wedge region(y) \quad (2)$$

$$\forall(r)obstacle\_region(r) \equiv \exists(x,y)static\_physical\_body(x) \wedge occupies(x,y) \wedge spatial\_part(r,y) \quad (3)$$

$$\forall(p)path(p) \equiv \exists(o)occurrence\_of(o,motion) \wedge st\_occupies(o,p) \quad (4)$$

$$\forall(p,r1,t)path(p) \wedge projectsTo(p,r,t) \supset \neg\exists(r2)obstacle\_region(r2) \wedge overlaps(r1,r2) \quad (5)$$

$$\forall(x,y)collision(x,y) \equiv \exists(p1,p2)occurrence\_of(x,motion) \wedge occurrence\_of(y,motion) \wedge st\_occupies(x,p1) \wedge st\_occupies(y,p2) \wedge st\_overlaps(p1,p2) \quad (6)$$

$$\forall(o1,o2,o3,p1,p2,p3)occurrence\_of(o1,motion) \wedge subactivity\_occurrence(o2,o1) \wedge subactivity\_occurrence(o3,o1) \wedge st\_occupies(o1,p1) \wedge st\_occupies(o2,p2) \wedge st\_occupies(o3,p3) \wedge st\_sum(p1,p2,p3) \supset st\_C(p1,p2) \quad (7)$$

## 5.4. Application

With axioms introduced in previous section, we can represent the motivating scenario described in Section 2. For example, the obstacle region can be inferred by the following formula:

$$\forall(r)obstacle\_region(r) \supset \exists(ra,rb,rc,rd)occupies(TableA,ra) \wedge occupies(TableB,rb) \wedge occupies(TableC,rc) \wedge occupies(TableD,rd) \wedge (spatial\_part(r,ra) \vee spatial\_part(r,rb) \vee spatial\_part(r,rc) \vee spatial\_part(r,rd)) \quad (8)$$

We can also represent the collision using the following ground formula:

$$occurrence\_of(occ1,motion) \wedge participates\_in(RobotX,occ1) \wedge occurrence\_of(occ2,motion) \wedge participates\_in(RobotX,occ2) \wedge collision(occ1,occ2) \quad (9)$$

## 6. Conclusions

This study set out to provide an ontological analysis of robot path planning problems based on the philosophical stance of space, time and events. We identify a motivating scenario to justify our ontological commitments and provide axiomatizations of some basic notions of robot path planning, including obstacle regions, robots' moving paths, and collisions, using the spatiotemporal ontology and event location ontology from our previous studies. In this paper, we focus on a low-level planning issue that only involves basic spatial and temporal contextual knowledge. Thus, a natural progression of this work is to integrate task-related knowledge to represent higher-level planning and scheduling issues.

Table 1: Partial signatures for core theories in the spatiotemporal ontology and event location ontology.

$T_{spatiotemporal}$	$spatiotemporal\_region(st)$	$st$ is a spatiotemporal region
	$projectsTo(st, r, t)$	spatiotemporal region $st$ can be projected to a spatial region $r$ at time $t$
	$st\_part(a, b)$	spatiotemporal region $a$ is part of the spatiotemporal region $b$
	$st\_C(a, b)$	spatiotemporal region $a$ is connected to the spatiotemporal region $b$
	$st\_overlaps(a, b)$	spatiotemporal region $a$ overlaps with the spatiotemporal region $b$
	$st\_sum(a, b, c)$	the sum of spatiotemporal region $a$ and the spatiotemporal region $b$ is spatiotemporal region $c$
$T_{occupy}$	$spatial\_part(x, y)$	the spatial region $x$ is part of the spatial region $y$
	$spatial\_C(x, y)$	the spatial region $x$ is connected to the spatial region $y$
	$occupies(x, y)$	the physical body $x$ occupies the spatial region $y$
$T_{psl}$	$activity(a)$	$a$ is an activity
	$activity\_occurrence(o)$	$o$ is an activity occurrence
	$occurrence\_of(o, a)$	$o$ is an occurrence of $a$
	$subactivity(a_1, a_2)$	$a_1$ is a subactivity of $a_2$
	$subactivity\_occurrence(o_1, o_2)$	$o_1$ is a subactivity occurrence of $o_2$
	$holds(f, s)$	the fluent $f$ is true immediately after the activity occurrence $s$
	$prior(f, s)$	the fluent $f$ is true immediately before the activity occurrence $s$
$T_{st\_occupies}$	$st\_occupies(o, st)$	an activity occurrence $o$ occupies the spatiotemporal region $st$

## References

- [1] R. Gayathri, V. Uma, Ontology based knowledge representation technique, domain modeling languages and planners for robotic path planning: A survey, ICT Express 4 (2018) 69–74. doi:10.1016/j.icte.2018.04.008.
- [2] D. D. Bloisi, D. Nardi, F. Riccio, F. Trapani, Context in robotics and information fusion, in: L. Snidaro, J. García, J. Llinas, E. Blasch (Eds.), Context-Enhanced Information



- Fusion: Boosting Real-World Performance with Domain Knowledge, Springer International Publishing, 2016, pp. 675–699. doi:10.1007/978-3-319-28971-7\_25.
- [3] D. A. Randell, Z. Cui, A. Cohn, A spatial logic based on regions and connection, in: Proceedings of the Third International Conference Principles of Knowledge Representation and Reasoning, Morgan Kaufmann, San Mateo, California, 1992, pp. 165–176.
- [4] J. Allen, Maintaining Knowledge about Temporal Intervals, *Communications ACM* 26 (1983) 832–843.
- [5] R. Casati, A. Varzi, Events, in: E. N. Zalta (Ed.), *The Stanford Encyclopedia of Philosophy*, Metaphysics Research Lab, Stanford University, 2020.
- [6] A. Quinton, Objects and Events, *Mind* 88 (1979) 197–214. arXiv:2252963.
- [7] R. Casati, A. C. Varzi (Eds.), *Modes of Location*, The MIT Press, 2003. doi:10.7551/mitpress/5253.003.0008.
- [8] A. Pease, I. Niles, J. Li, The Suggested Upper Merged Ontology: A Large Ontology for the Semantic Web and its Applications, in: *Working Notes of the AAAI-2002 Workshop on Ontologies and the Semantic Web*, volume 28, 2002, pp. 7–10.
- [9] B. Aameri, M. Grüninger, Location ontologies based on mereotopological pluralism, *Applied Ontology* 15 (2020) 135–184. doi:10.3233/AO-200224.
- [10] M. Ghallab, D. S. Nau, P. Traverso, *Automated planning and acting*, 2016.
- [11] A. Akbari, F. Lagriffoul, J. Rosell, Combined heuristic task and motion planning for bi-manual robots, *Auton. Robots* 43 (2019) 1575–1590. doi:10.1007/s10514-018-9817-3.
- [12] M. Gillani, A. Akbari, J. Rosell, Ontological physics-based motion planning for manipulation, 2015. doi:10.1109/ETFA.2015.7301404.
- [13] Y. Zhao, P. Fillatreau, L. Elmhadi, H. Karray, B. Archimède, Semantic coupling of path planning and a primitive action of a task plan for the simulation of manipulation tasks in a virtual 3d environment, *Robotics and Computer-Integrated Manufacturing* 73 (2022) 102255. doi:10.1016/j.rcim.2021.102255.
- [14] R. Bernardo, J. M. C. Sousa, P. J. S. Gonçalves, A novel framework to improve motion planning of robotic systems through semantic knowledge-based reasoning, *Computers & Industrial Engineering* 182 (2023) 109345. doi:10.1016/j.cie.2023.109345.
- [15] S. Lee, I. Kim, A robotic context query-processing framework based on spatio-temporal context ontology, *Sensors* 18 (2008) 33–36. doi:10.3390/s18103336, number: 10 Publisher: Multidisciplinary Digital Publishing Institute.
- [16] B. Aameri, M. Grüninger, Location Ontologies based on Mereotopological Pluralism, *Applied Ontology* 15 (2020) 135–184.
- [17] Y. Bai, Gruninger, Michael, Spatiotemporal = Spatial  $\times$  Temporal, in: *Proceedings of the Joint Ontology Workshops 2022*, volume 3249, 2022.
- [18] M. Gruninger, C. Menzel, The process specification language (PSL) theory and applications, *AI Magazine* 24 (2003) 63–63. doi:10.1609/aimag.v24i3.1719, number: 3.
- [19] Y. Bai, Gruninger, Michael, An ontology for event locations, in: *Formal Ontology in Information Systems*, IOS Press, 2023.
- [20] B. Aameri, Using partial automorphisms to design process ontologies, in: *Formal Ontology in Information Systems*, IOS Press, 2012, pp. 309–322.